

## Datasheet for ABIN7630104

## Recombinant anti-IL-20 antibody



_						
	W	0	rv	10	W	

Overview		
Quantity:	100 μL	
Target:	IL-20 (IL20)	
Reactivity:	Human	
Host:	Mouse	
Antibody Type:	Recombinant Antibody	
Clonality:	Monoclonal	
Conjugate:	This IL-20 antibody is un-conjugated	
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunofluorescence (IF),	
	Immunoprecipitation (IP), Immunocytochemistry (ICC), Flow Cytometry (FACS)	
Product Details		
Purpose:	Recombinant Antibody to Interleukin 20 (IL20)	
Isotype:	IgG2b kappa	
Specificity:	The antibody is a mouse monoclonal antibody raised against IL20. It has been selected for its	
	ability to recognize IL20 in immunohistochemical staining and western blotting.	
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography	
Target Details		
Target:	IL-20 (IL20)	
	Interleukin 20 (IL20 Products)	

## **Target Details**

Background:	IL10D, IL10-D, ZCYTO10, Cytokine Zcyto10	
UniProt:	Q9NYY1	
Pathways:	Protein targeting to Nucleus	
Application Details		
Application Notes:	Western blotting: 0.2-2 μg/mL,1:500-5000 Immunohistochemistry: 5-20 μg/mL,1:50-200	
	Immunocytochemistry: 5-20 µg/mL,1:50-200 Optimal working dilutions must be determined by end user.	
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Concentration:	1 mg/mL	
Buffer:	PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol.	
Preservative:	Sodium azide	
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.	
Storage:	4 °C,-20 °C	
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles.	