

Datasheet for ABIN7630106

Recombinant anti-IL-22 antibody[Go to Product page](#)

Overview

Quantity:	100 µL
Target:	IL-22 (IL22)
Reactivity:	Human
Host:	Mouse
Antibody Type:	Recombinant Antibody
Clonality:	Monoclonal
Conjugate:	This IL-22 antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Flow Cytometry (FACS), Immunoprecipitation (IP), Immunocytochemistry (ICC), Immunofluorescence (IF)

Product Details

Purpose:	Recombinant Antibody to Interleukin 22 (IL22)
Isotype:	IgG2b kappa
Specificity:	The antibody is a mouse monoclonal antibody raised against IL22. It has been selected for its ability to recognize IL22 in immunohistochemical staining and western blotting.
Purification:	Protein A + Protein G affinity chromatography

Target Details

Target:	IL-22 (IL22)
Alternative Name:	Interleukin 22 (IL22 Products)

Target Details

Background: ILTIF, Zcyto18, IL-TIF, IL-D110, TIFa, TIFIL-23, IL-22, Cytokine Zcyto18, IL-10-Related T-Cell-Derived Inducible Factor

UniProt: [Q9GZX6](#)

Application Details

Application Notes: Western blotting: 0.2-2 µg/mL, 1:500-5000 Immunohistochemistry: 5-20 µg/mL, 1:50-200 Immunocytochemistry: 5-20 µg/mL, 1:50-200 Optimal working dilutions must be determined by end user.

Comment: The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.

Restrictions: For Research Use only

Handling

Format: Liquid

Concentration: 1 mg/mL

Buffer: 0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol.

Preservative: ProClin

Precaution of Use: This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Storage: 4 °C, -20 °C

Storage Comment: Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles.