

Datasheet for ABIN7630257 **anti-Afamin antibody (Biotin)**



[Go to Product page](#)

Overview

Quantity:	1 mL
Target:	Afamin (AFM)
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This Afamin antibody is conjugated to Biotin
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunocytochemistry (ICC)

Product Details

Purpose:	Biotin-Linked Polyclonal Antibody to Afamin (AFM)
Immunogen:	PAC284Hu01 Polyclonal Antibody to Afamin (AFM)
Isotype:	IgG
Specificity:	The antibody is a rabbit polyclonal antibody raised against AFM. It has been selected for its ability to recognize AFM in immunohistochemical staining and western blotting.
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography

Target Details

Target:	Afamin (AFM)
Alternative Name:	Afamin (AFM Products)
Background:	ALB2, ALBA, ALF, A-ALB, Alpha-Albumin

Target Details

UniProt: [P43652](#)

Application Details

Application Notes:	Western blotting: 0.5-2 µg/mL Immunocytochemistry in formalin fixed cells: 5-20 µg/mL Immunohistochemistry in formalin fixed frozen section: 5-20 µg/mL Immunohistochemistry in paraffin section: 5-20 µg/mL Enzyme-linked Immunosorbent Assay: 0.05-2 µg/mL Optimal working dilutions must be determined by end user.
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.
Restrictions:	For Research Use only

Handling

Format:	Liquid
Concentration:	500 µg/mL
Buffer:	PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles.