

Datasheet for ABIN7631133
anti-CAMP antibody (FITC)



[Go to Product page](#)

Overview

Quantity:	1 mL
Target:	CAMP (cAMP)
Reactivity:	Various Species
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This CAMP antibody is conjugated to FITC
Application:	Immunocytochemistry (ICC), Immunohistochemistry (IHC), Western Blotting (WB), Immunofluorescence (IF)

Product Details

Purpose:	FITC-Linked Polyclonal Antibody to Cyclic Adenosine Monophosphate (cAMP)
Immunogen:	PAA003Ge01 Polyclonal Antibody to Cyclic Adenosine Monophosphate (cAMP)
Isotype:	IgG
Specificity:	The antibody is a rabbit polyclonal antibody raised against cAMP. It has been selected for its ability to recognize cAMP in immunohistochemical staining and western blotting.
Cross-Reactivity:	Various Species
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography

Target Details

Target:	CAMP (cAMP)
---------	-------------

Target Details

Alternative Name:	Cyclic Adenosine Monophosphate (cAMP Products)
Target Type:	Chemical
Background:	C-AMP, 3'-5'-Cyclic Adenosine Monophosphate, Adenosine Cyclophosphate
Pathways:	Cellular Response to Molecule of Bacterial Origin

Application Details

Application Notes:	Immunocytochemistry in formalin fixed cells: 5-20 µg/mL Immunohistochemistry in formalin fixed frozen section: 5-20 µg/mL Immunohistochemistry in paraffin section: 5-20 µg/mL Enzyme-linked Immunosorbent Assay: 0.05-2 µg/mL Optimal working dilutions must be determined by end user.
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.
Restrictions:	For Research Use only

Handling

Format:	Liquid
Concentration:	500 µg/mL
Buffer:	0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles.