

Datasheet for ABIN7632288

anti-KIR3DL3 antibody (FITC)



_					
	W	0	rv	10	W

Quantity:	1 mL	
Target:	KIR3DL3	
Reactivity:	Human	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This KIR3DL3 antibody is conjugated to FITC	
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunocytochemistry (ICC), Immunofluorescence (IF)	

Product Details	
Purpose:	FITC-Linked Polyclonal Antibody to Killer Cell Immunoglobulin Like Receptor 3DL3 (KIR3DL3)
Isotype:	IgG
Specificity:	The antibody is a rabbit polyclonal antibody raised against KIR3DL3. It has been selected for its ability to recognize KIR3DL3 in immunohistochemical staining and western blotting.
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography
Target Details	
Target:	KIR3DI 3

Target:	KIR3DL3
Alternative Name:	Killer Cell Immunoglobulin Like Receptor 3DL3 (KIR3DL3 Products)
Background:	CD158Z, KIRC1, KIR3DL7, KIR44, CD158 antigen-like family member Z, Killer cell inhibitory receptor 1

Target Details

UniProt:	Q8N743	
Application Details		
Application Notes:	Western blotting: 0.2-2 μg/mL,1:250-2500 Immunohistochemistry: 5-20 μg/mL,1:25-100 Immunocytochemistry: 5-20 μg/mL,1:25-100 Optimal working dilutions must be determined by end user.	
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.	
Restrictions: Handling	For Research Use only	
Format:	Liquid	
Concentration:	Liquid 500 μg/mL	
Buffer:	PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol.	
Preservative:	Sodium azide	
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.	
Storage:	4 °C,-20 °C	
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles.	