

## Datasheet for ABIN7632738 **anti-OGP antibody (FITC)**



[Go to Product page](#)

### Overview

Quantity:	1 mL
Target:	OGP
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This OGP antibody is conjugated to FITC
Application:	Immunohistochemistry (IHC), Western Blotting (WB), Immunocytochemistry (ICC), Immunofluorescence (IF)

### Product Details

Purpose:	FITC-Linked Polyclonal Antibody to Osteogenic Growth Peptide (OGP)
Immunogen:	PAB485Hu01 Polyclonal Antibody to Osteogenic Growth Peptide (OGP)
Isotype:	IgG
Specificity:	The antibody is a rabbit polyclonal antibody raised against OGP. It has been selected for its ability to recognize OGP in immunohistochemical staining and western blotting.
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography

### Target Details

Target:	OGP
Alternative Name:	Osteogenic Growth Peptide ( <a href="#">OGP Products</a> )

## Application Details

Application Notes:	Western blotting: 0.5-2 µg/mL Immunocytochemistry in formalin fixed cells: 5-20 µg/mL Immunohistochemistry in formalin fixed frozen section: 5-20 µg/mL Immunohistochemistry in paraffin section: 5-20 µg/mL Enzyme-linked Immunosorbent Assay: 0.05-2 µg/mL Optimal working dilutions must be determined by end user.
--------------------	--

Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.
----------	---

Restrictions:	For Research Use only
---------------	-----------------------

## Handling

Format:	Liquid
---------	--------

Concentration:	500 µg/mL
----------------	-----------

Buffer:	PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol.
---------	---

Preservative:	Sodium azide
---------------	--------------

Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
--------------------	--

Storage:	4 °C, -20 °C
----------	--------------

Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles.
------------------	---