

Datasheet for ABIN7632857 anti-PLA2G2D antibody (FITC)



Overview

| Quantity: | 1 mL |
|--------------|---|
| Target: | PLA2G2D |
| Reactivity: | Mouse |
| Host: | Rabbit |
| Clonality: | Polyclonal |
| Conjugate: | This PLA2G2D antibody is conjugated to FITC |
| Application: | Western Blotting (WB), Immunohistochemistry (IHC), Immunocytochemistry (ICC), Immunofluorescence (IF) |

Product Details

| T TOUUCE Details | |
|------------------|--|
| Purpose: | FITC-Linked Polyclonal Antibody to Phospholipase A2, Group IID (PLA2G2D) |
| Immunogen: | PAB077Mu01Polyclonal Antibody to Phospholipase A2, Group IID (PLA2G2D) |
| Isotype: | IgG |
| Specificity: | The antibody is a rabbit polyclonal antibody raised against PLA2G2D. It has been selected for its ability to recognize PLA2G2D in immunohistochemical staining and western blotting. |
| Purification: | Antigen-specific affinity chromatography followed by Protein A affinity chromatography |
| Target Details | |

| Target: | PLA2G2D |
|-------------------|--|
| Alternative Name: | Phospholipase A2, Group IID (PLA2G2D Products) |

Target Details

| Background: | PLA2G2D, sPLA2S, s-PLA2, sPLA2, SPLASH, Secreted Phospholipase A2, Phosphatidylcholine 2-acylhydrolase 2D, Secretory-type PLA, stroma-associated homolog |
|-------------|--|
| UniProt: | Q9WVF6 |
| Pathways: | Inositol Metabolic Process |

| Application Details | |
|---------------------|---|
| Application Notes: | Western blotting: $0.5-2~\mu g/mL$ Immunocytochemistry in formalin fixed cells: $5-20~\mu g/mL$ Immunohistochemistry in formalin fixed frozen section: $5-20~\mu g/mL$ Immunohistochemistry in paraffin section: $5-20~\mu g/mL$ Enzyme-linked Immunosorbent Assay: $0.05-2~\mu g/mL$ Optimal working dilutions must be determined by end user. |
| Comment: | The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition. |
| Restrictions: | For Research Use only |
| Handling | |
| Format: | Liquid |

| Format: | Liquid |
|--------------------|---|
| Concentration: | 500 μg/mL |
| Buffer: | 0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol. |
| Preservative: | ProClin |
| Precaution of Use: | This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only. |
| Storage: | 4 °C,-20 °C |
| Storage Comment: | Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles. |