antibodies - online.com







anti-DIRAS1 antibody (AA 21-120) (Biotin)



\sim			
	N/P	r\/I	i⊢₩

Quantity:	100 μL	
Target:	DIRAS1	
Binding Specificity:	AA 21-120	
Reactivity:	Human	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This DIRAS1 antibody is conjugated to Biotin	
Application:	ELISA, Western Blotting (WB), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Immunohistochemistry (Frozen Sections) (IHC (fro))	

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human DIRAS1
Isotype:	IgG
Predicted Reactivity:	Human,Mouse,Rat,Dog,Cow,Pig,Horse,Chicken
Purification:	Purified by Protein A.

Target Details

Target:	DIRAS1
Alternative Name:	DIRAS1 (DIRAS1 Products)
Background:	Synonyms: Di Ras1, DIRAS family GTP binding RAS like 1, Distinct subgroup of the Ras family

member 1, GBTS1, GTP binding protein Di Ras1, Ras related inhibitor of cell growth, RIG, Rig
protein, Small GTP binding tumor suppressor 1.

Background: The three human RAS genes encode highly related 188 to 189 amino acid proteins, designated H-Ras, N-Ras and K-Ras4A and K-Ras4B (the two K-Ras proteins arise from alternative gene splicing). Ras proteins function as binary molecular switches that control intracellular signaling networks. Ras-regulated signal pathways control such processes as actin cytoskeletal integrity, proliferation, differentiation, cell adhesion, apoptosis, and cell migration. Ras and ras-related proteins are often deregulated in cancers, leading to increased invasion and metastasis, and decreased apoptosis.DIRAS1 displays low GTPase activity and exists predominantly in the GTP-bound form. It is highly expressed in heart and brain.

Gene ID: 148252

Pathways: Ribonucleoprotein Complex Subunit Organization, Ribosome Assembly

Application Details

Application Notes:	WB 1:300-5000
	IHC-P 1:200-400

Restrictions: For Research Use only

IHC-F 1:100-500

Handling

Format:	Liquid
Concentration:	1 μg/μL
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Store at -20°C for 12 months.
Expiry Date:	12 months