

Datasheet for ABIN7633537

anti-TFAM antibody (FITC)



_						
	V	\triangle	r۱	/1	\triangle	Λ/
	' V '		ΙV			v v

Quantity:	1 mL	
Target:	TFAM	
Reactivity:	Rat	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This TFAM antibody is conjugated to FITC	
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunofluorescence (IF), Immunocytochemistry (ICC)	

Product Details

Background:

Purpose:	FITC-Linked Polyclonal Antibody to Transcription Factor A, Mitochondrial (TFAM)
Isotype:	IgG
Specificity:	The antibody is a rabbit polyclonal antibody raised against TFAM. It has been selected for its ability to recognize TFAM in immunohistochemical staining and western blotting.
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography
Target Details	
Target:	TFAM
Alternative Name:	Transcription Factor A, Mitochondrial (TFAM Products)

MtTF1, TCF6, TCF6L2, mtTFA, Mitochondrial transcription factor 1, Transcription factor 6-like 2

Target Details

UniProt:	Q91ZW1		
Pathways:	Chromatin Binding		
Application Details			
Application Notes:	Western blotting: 0.2 -2 μ g/mL,1:250-2500 Immunohistochemistry: 5 -20 μ g/mL,1:25-100 Immunocytochemistry: 5 -20 μ g/mL,1:25-100 Optimal working dilutions must be determined by end user.		
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.		
Restrictions:	For Research Use only		
Handling			
Format:	Liquid		
Concentration:	500 μg/mL		
Buffer:	PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol.		
Preservative:	Sodium azide		
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.		
Storage:	4 °C,-20 °C		
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles.		