

# Datasheet for ABIN7633766 anti-VWA2 antibody (Biotin)



#### Go to Product page

Overview	
Quantity:	1 mL
Target:	VWA2 (vWA2)
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This VWA2 antibody is conjugated to Biotin
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunocytochemistry (ICC)
Product Details	
Purpose:	Biotin-Linked Polyclonal Antibody to Von Willebrand Factor A Domain Containing Protein 2 (vWA2)
Isotype:	IgG
Specificity:	The antibody is a rabbit polyclonal antibody raised against vWA2. It has been selected for its ability to recognize vWA2 in immunohistochemical staining and western blotting.
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography
Target Details	
Target:	VWA2 (vWA2)
Alternative Name:	Von Willebrand Factor A Domain Containing Protein 2 (vWA2 Products)
Background:	AMACO, VWFA2, CCSP-2, A Domain-Containing Protein Similar To Matrilin And Collagen, Colon cancer secreted protein 2

## Target Details

UniProt: Q5GFL6

### **Application Details**

Application Notes:	Western blotting: $0.2$ -2 $\mu$ g/mL,1:250-2500 Immunohistochemistry: $5$ -20 $\mu$ g/mL,1:25-100 Immunocytochemistry: $5$ -20 $\mu$ g/mL,1:25-100 Optimal working dilutions must be determined by end user.
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.

Restrictions:

For Research Use only

### Handling

Format:	Liquid
Concentration:	500 μg/mL
Buffer:	PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles.