

## Datasheet for ABIN7633767 **anti-VWA2 antibody (FITC)**

[Go to Product page](#)

### Overview

|              |                                                                                                          |
|--------------|----------------------------------------------------------------------------------------------------------|
| Quantity:    | 1 mL                                                                                                     |
| Target:      | VWA2 (vWA2)                                                                                              |
| Reactivity:  | Human                                                                                                    |
| Host:        | Rabbit                                                                                                   |
| Clonality:   | Polyclonal                                                                                               |
| Conjugate:   | This VWA2 antibody is conjugated to FITC                                                                 |
| Application: | Western Blotting (WB), Immunohistochemistry (IHC), Immunocytochemistry (ICC),<br>Immunofluorescence (IF) |

### Product Details

|               |                                                                                                                                                                                |
|---------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Purpose:      | FITC-Linked Polyclonal Antibody to Von Willebrand Factor A Domain Containing Protein 2 (vWA2)                                                                                  |
| Isotype:      | IgG                                                                                                                                                                            |
| Specificity:  | The antibody is a rabbit polyclonal antibody raised against vWA2. It has been selected for its ability to recognize vWA2 in immunohistochemical staining and western blotting. |
| Purification: | Antigen-specific affinity chromatography followed by Protein A affinity chromatography                                                                                         |

### Target Details

|                   |                                                                                           |
|-------------------|-------------------------------------------------------------------------------------------|
| Target:           | VWA2 (vWA2)                                                                               |
| Alternative Name: | Von Willebrand Factor A Domain Containing Protein 2 ( <a href="#">vWA2 Products</a> )     |
| Background:       | AMACO, VWFA2, CCSP-2, A Domain-Containing Protein Similar To Matrilin And Collagen, Colon |

## Target Details

cancer secreted protein 2

UniProt: [Q5GFL6](#)

## Application Details

Application Notes: Western blotting: 0.2-2 µg/mL, 1:250-2500 Immunohistochemistry: 5-20 µg/mL, 1:25-100  
Immunocytochemistry: 5-20 µg/mL, 1:25-100 Optimal working dilutions must be determined by end user.

Comment: The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.

Restrictions: For Research Use only

## Handling

Format: Liquid

Concentration: 500 µg/mL

Buffer: PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol.

Preservative: Sodium azide

Precaution of Use: This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Storage: 4 °C, -20 °C

Storage Comment: Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles.