

Datasheet for ABIN7634115

anti-Adenosine A2b Receptor antibody



Overview

Quantity:	100 μL
Target:	Adenosine A2b Receptor (ADORA2B)
Reactivity:	Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This Adenosine A2b Receptor antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunocytochemistry (ICC), Immunoprecipitation (IP)

Product Details

Alternative Name:

UniProt:

1 Toddet Details	
Purpose:	Polyclonal Antibody to Adenosine A2b Receptor (ADORA2b)
Isotype:	IgG
Specificity:	The antibody is a rabbit polyclonal antibody raised against ADORA2b. It has been selected for its ability to recognize ADORA2b in immunohistochemical staining and western blotting.
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography
Target Details	
Target:	Adenosine A2b Receptor (ADORA2B)

ADORA2b (ADORA2B Products)

Q60614

Target Details

Pathways:	cAMP Metabolic Process, Regulation of Leukocyte Mediated Immunity, Positive Regulation of Immune Effector Process
Application Details	
Application Notes:	Western blotting: $0.2-2~\mu g/m L$,1:250-2500 Immunohistochemistry: $5-20~\mu g/m L$,1:25-100 Immunocytochemistry: $5-20~\mu g/m L$,1:25-100 Optimal working dilutions must be determined by end user.
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	500 μg/mL
Buffer:	PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles.