

Datasheet for ABIN7634206

anti-ADRBK2 antibody



	er		

Quantity:	100 μL	
Target:	ADRBK2	
Reactivity:	Human	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This ADRBK2 antibody is un-conjugated	
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunocytochemistry (ICC), Immunoprecipitation (IP)	

Product Details

Purpose:	Polyclonal Antibody to Adrenergic Receptor Beta Kinase 2 (ADRbK2)
Isotype:	IgG
Specificity:	The antibody is a rabbit polyclonal antibody raised against ADRbK2. It has been selected for its ability to recognize ADRbK2 in immunohistochemical staining and western blotting.
Cross-Reactivity:	Mouse, Rat
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography
Target Details	

Target:	ADRBK2
Alternative Name:	ADRbK2 (ADRBK2 Products)

Target Details

Background:	B-ARK2, bARK2, Beta-ARK2, GRK3, G-protein-coupled receptor kinase 3	
UniProt:	P35626	
Pathways:	Regulation of G-Protein Coupled Receptor Protein Signaling, Thromboxane A2 Receptor Signaling	
Application Details		
Application Notes:	Western blotting: 0.2 -2 μ g/mL,1:250-2500 Immunohistochemistry: 5 -20 μ g/mL,1:25-100 Immunocytochemistry: 5 -20 μ g/mL,1:25-100 Optimal working dilutions must be determined by end user.	
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Concentration:	500 μg/mL	
Buffer:	PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol.	
Preservative:	Sodium azide	
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.	
Storage:	4 °C,-20 °C	
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles.	