

Datasheet for ABIN7634373

anti-AMBP antibody



Overview

Quantity:	100 μL
Target:	AMBP
Reactivity:	Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This AMBP antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunocytochemistry (ICC), Immunoprecipitation (IP)

Product Details

Product Details	
Purpose:	Polyclonal Antibody to Alpha-1-Microglobulin (a1M)
Immunogen:	RPA217Ra01Recombinant Alpha1Microglobulin (a1M)
Isotype:	IgG
Specificity:	The antibody is a rabbit polyclonal antibody raised against a1M. It has been selected for its ability to recognize a1M in immunohistochemical staining and western blotting.
Cross-Reactivity:	Mouse
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography
Target Details	
Target:	AMBP

Target Details

Target Details	
Alternative Name:	Alpha-1-Microglobulin (AMBP Products)
Background:	AMBP, UTI, HCP, EDC1, HI30, IATIL, ITILC, ITI, ITIL, Alpha 1 Microglobulin/Bikunin Precursor,
	Growth-inhibiting protein 19, Uristatin, Uronic-Acid-Rich Protein, Trypstatin
UniProt:	Q64240
Application Details	
Application Notes:	Western blotting: 0.01-2 μg/mL,lmmunohistochemistry: 5-20 μg/mL,lmmunocytochemistry: 5-
	20 μg/mL,Optimal working dilutions must be determined by end user.
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated
	thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious
	degradation and precipitation were observed. The loss rate is less than 5% within the expiration
	date under appropriate storage condition.
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	0.49 mg/mL
Buffer:	PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which
	should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without
	detectable lead of activity. Avoid reported from the survival of

detectable loss of activity. Avoid repeated freeze-thaw cycles.