

Datasheet for ABIN7634551

anti-Ancient Ubiquitous Protein 1 antibody



Overview

Overview	
Quantity:	100 μL
Target:	Ancient Ubiquitous Protein 1 (Aup1)
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This Ancient Ubiquitous Protein 1 antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC)
Product Details	
Purpose:	Polyclonal Antibody to Ancient Ubiquitous Protein 1 (AUP1)
Immunogen:	RPC307Hu01Recombinant Ancient Ubiquitous Protein 1 (AUP1)
Isotype:	IgG
Specificity:	The antibody is a rabbit polyclonal antibody raised against AUP1. It has been selected for its ability to recognize AUP1 in immunohistochemical staining and western blotting.
Cross-Reactivity:	Pig
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography
Target Details	
Target:	Ancient Ubiquitous Protein 1 (Aup1)
Alternative Name:	AUP1 (Aup1 Products)

Target Details UniProt: Q9Y679 Application Details Application Notes: Western blotting: 0.5-2 µg/mL,Immunohistochemistry: 5-20 µg/mL,Immunocytochemistry: 5-20 µg/mL,Immunocytochemistry: 5-20 µg/mL,Optimal working dilutions must be determined by end user. Comment: The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition. Restrictions: For Research Use only Handling Format: Liquid Concentration: 0.5 mg/mL Buffer: 0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol.

Format:	Liquid
Concentration:	0.5 mg/mL
Buffer:	0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles.