

Datasheet for ABIN7634579

anti-ANG antibody



Overview

| Quantity: | 100 μL |
|--------------|--|
| Target: | ANG |
| Reactivity: | Human |
| Host: | Mouse |
| Clonality: | Monoclonal |
| Conjugate: | This ANG antibody is un-conjugated |
| Application: | Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC) |

Product Details

| Product Details | |
|-------------------|---|
| Purpose: | Monoclonal Antibody to Angiogenin (ANG) |
| Immunogen: | RPA007Hu01Recombinant Angiogenin (ANG) |
| Clone: | C1 |
| Specificity: | The antibody is a mouse monoclonal antibody raised against ANG. It has been selected for its ability to recognize ANG in immunohistochemical staining and western blotting. |
| Cross-Reactivity: | Pig |
| Purification: | Protein A + Protein G affinity chromatography |
| Target Details | |

Larget Details

Target: ANG

Target Details

| Alternative Name: | Angiogenin (ANG Products) |
|-------------------|---------------------------------------|
| Background: | RNASE5, Ribonuclease,RNase A Family 5 |
| UniProt: | P03950 |

Application Details

| Application Notes: | Western blotting: 0.5-2 μ g/mL,Immunohistochemistry: 5-20 μ g/mL,Immunocytochemistry: 5- |
|--------------------|--|
| | 20 μg/mL,Optimal working dilutions must be determined by end user. |
| Comment: | The thermal stability is described by the loss rate. The loss rate was determined by accelerated |
| | thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious |
| | degradation and precipitation were observed. The loss rate is less than 5% within the expiration |
| | date under appropriate storage condition. |
| Restrictions: | For Research Use only |

Handling

| Format: | Liquid |
|--------------------|---|
| Concentration: | 1 mg/mL |
| Buffer: | PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol. |
| Preservative: | ProClin, Sodium azide |
| Precaution of Use: | This product contains ProClin and Sodium azide: POISONOUS AND HAZARDOUS SUBSTANCES which should be handled by trained staff only. |
| Storage: | 4 °C,-20 °C |
| Storage Comment: | Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles. |