

Datasheet for ABIN7634695

anti-Anion/Sugar Transporter antibody



Overview	

Quantity:	100 μL
Target:	Anion/Sugar Transporter (AST)
Reactivity:	Human
Host:	Mouse
Clonality:	Monoclonal
Conjugate:	This Anion/Sugar Transporter antibody is un-conjugated
Application:	Immunocytochemistry (ICC), Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP)

Product Details

Purpose:	Monoclonal Antibody to Anion/Sugar Transporter (AST)
Specificity:	The antibody is a mouse monoclonal antibody raised against AST. It has been selected for its ability to recognize AST in immunohistochemical staining and western blotting.
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography

Target Details

Target:	Anion/Sugar Transporter (AST)
Alternative Name:	Anion/Sugar Transporter (AST Products)
Background:	SLC17A5, SD, ISSD, NSD, SIALIN, SIASD, SLD, Solute Carrier Family 17 Member 5, Sialic Acid Storage Disease, Vesicular H(+)/Aspartate-glutamate cotransporter
UniProt:	Q9NRA2

Application Details

Application Notes:	Western blotting: 0.2-2 μ g/mL,1:500-5000 Immunohistochemistry: 5-20 μ g/mL,1:50-200 Immunocytochemistry: 5-20 μ g/mL,1:50-200 Optimal working dilutions must be determined by end user.
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	1 mg/mL
Buffer:	PBS, pH 7.4, containing 0.01 % SKL, 1 mM DTT, 5 % Trehalose and Proclin300.
Preservative:	Dithiothreitol (DTT), ProClin
Precaution of Use:	This product contains ProClin and Dithiothreitol (DTT): POISONOUS AND HAZARDOUS SUBSTANCES which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles.