

### Datasheet for ABIN7634897

# anti-APOE antibody



_						
	V	$\triangle$	r۱	/1	$\triangle$	Λ/
	' V '		ΙV			v v

Quantity:	100 μL	
Target:	APOE	
Reactivity:	Human	
Host:	Mouse	
Clonality:	Monoclonal	
Conjugate:	This APOE antibody is un-conjugated	
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)	

#### **Product Details**

Purpose:	Monoclonal Antibody to Apolipoprotein E (APOE)		
Immunogen:	RPA704Hu01Recombinant Apolipoprotein E (APOE)		
Specificity:	The antibody is a mouse monoclonal antibody raised against APOE. It has been selected for its ability to recognize APOE in immunohistochemical staining and western blotting.		
Cross-Reactivity:	Rat		
Purification:	Protein A + Protein G affinity chromatography		
Target Details			

Target:	APOE
Alternative Name:	APOE (APOE Products)

## **Target Details**

Background:	Apo-E, AD2, Apoprotein, Alzheimer Disease 2(E4-Associated,Late Onset	
UniProt:	P02649	
Pathways:	Regulation of Cell Size, Lipid Metabolism	
Application Details		
Application Notes:	Western blotting: 0.2-2 μg/mL,1:500-5000 Immunohistochemistry: 5-20 μg/mL,1:50-200 Immunocytochemistry: 5-20 μg/mL,1:50-200 Optimal working dilutions must be determined by end user.	
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Concentration:	0.96 mg/mL	
Buffer:	0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol.	
Preservative:	ProClin, Sodium azide	
Precaution of Use:	This product contains ProClin and Sodium azide: POISONOUS AND HAZARDOUS SUBSTANCES which should be handled by trained staff only.	
Storage:	4 °C,-20 °C	
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles.	