

Datasheet for ABIN7635025

anti-ARG antibody



[Go to Product page](#)

Overview

| | |
|--------------|---|
| Quantity: | 100 µL |
| Target: | ARG |
| Reactivity: | Rat |
| Host: | Mouse |
| Clonality: | Monoclonal |
| Conjugate: | This ARG antibody is un-conjugated |
| Application: | Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC) |

Product Details

| | |
|---------------|---|
| Purpose: | Monoclonal Antibody to Arginase (ARG) |
| Immunogen: | RPB120Ra01 Recombinant Arginase (ARG) |
| Clone: | 13# |
| Specificity: | The antibody is a mouse monoclonal antibody raised against ARG. It has been selected for its ability to recognize ARG in immunohistochemical staining and western blotting. |
| Purification: | Protein A + Protein G affinity chromatography |

Target Details

| | |
|-------------------|---|
| Target: | ARG |
| Alternative Name: | Arginase (ARG Products) |

Target Details

Background: ARG1, Arginase I, Liver Arginase

UniProt: [P07824](#)

Application Details

Application Notes: Western blotting: 0.2-2 µg/mL, Immunohistochemistry: 5-20 µg/mL, Immunocytochemistry: 5-20 µg/mL, Optimal working dilutions must be determined by end user.

Comment: The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.

Restrictions: For Research Use only

Handling

Format: Liquid

Concentration: 1 mg/mL

Buffer: 0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol.

Preservative: ProClin, Sodium azide

Precaution of Use: This product contains ProClin and Sodium azide: POISONOUS AND HAZARDOUS SUBSTANCES which should be handled by trained staff only.

Storage: 4 °C, -20 °C

Storage Comment: Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles.