

Datasheet for ABIN7635499 **anti-BASP1 antibody**



[Go to Product page](#)

Overview

Quantity:	100 µL
Target:	BASP1
Reactivity:	Human
Host:	Mouse
Clonality:	Monoclonal
Conjugate:	This BASP1 antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunocytochemistry (ICC), Immunoprecipitation (IP)

Product Details

Purpose:	Monoclonal Antibody to Brain Abundant, Membrane Attached Signal Protein 1 (BASP1)
Immunogen:	RPJ563Hu01 Recombinant Brain Abundant, Membrane Attached Signal Protein 1 (BASP1)
Clone:	C2
Specificity:	The antibody is a mouse monoclonal antibody raised against BASP1. It has been selected for its ability to recognize BASP1 in immunohistochemical staining and western blotting.
Cross-Reactivity:	Rat
Purification:	Protein A + Protein G affinity chromatography

Target Details

Target:	BASP1
---------	-------

Target Details

Alternative Name:	BASP1 (BASP1 Products)
Background:	CAP-23, NAP-22, Brain acid soluble protein 1, 22 kDa neuronal tissue-enriched acidic protein, Neuronal axonal membrane protein NAP-22
UniProt:	P80723

Application Details

Application Notes:	Western blotting: 0.5-2 µg/mL, Immunohistochemistry: 5-20 µg/mL, Immunocytochemistry: 5-20 µg/mL, Optimal working dilutions must be determined by end user.
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.
Restrictions:	For Research Use only

Handling

Format:	Liquid
Concentration:	1 mg/mL
Buffer:	PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C, -20 °C
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles.