

Datasheet for ABIN7635617

anti-ROS1 antibody



Overview

Quantity:	100 μL
Target:	ROS1
Reactivity:	Human
Host:	Mouse
Clonality:	Monoclonal
Conjugate:	This ROS1 antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)

Product Details

Target:

- Troduct Details	
Purpose:	Monoclonal Antibody to C-Ros Oncogene 1, Receptor Tyrosine Kinase (ROS1)
Immunogen:	RPE273Hu01Recombinant CRos Oncogene 1, Receptor Tyrosine Kinase (ROS1)
Clone:	C3
Specificity:	The antibody is a mouse monoclonal antibody raised against ROS1. It has been selected for its ability to recognize ROS1 in immunohistochemical staining and western blotting.
Cross-Reactivity:	Pig
Purification:	Protein A + Protein G affinity chromatography
Target Details	

ROS1

Target Details

Alternative Name:	ROS1 (ROS1 Products)
Background:	MCF3, ROS, c-Ros-1, v-Ros Avian UR2 Sarcoma Virus Oncogene Homolog 1, Proto-oncogene tyrosine-protein kinase ROS, Receptor tyrosine kinase c-ros oncogene 1
UniProt:	P08922
Pathways:	RTK Signaling

Application Details

Application Notes:	Western blotting: 0.5-2 μg/mL,Immunohistochemistry: 5-20 μg/mL,Immunocytochemistry: 5-
	20 μg/mL,Optimal working dilutions must be determined by end user.
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated
	thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious
	degradation and precipitation were observed. The loss rate is less than 5% within the expiration
	date under appropriate storage condition.
Restrictions:	For Research Use only

Handling

Format:	Liquid
Concentration:	1 mg/mL
Buffer:	0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles.