

## Datasheet for ABIN7635843 **anti-CA4 antibody**

[Go to Product page](#)

### Overview

Quantity:	100 µL
Target:	CA4
Reactivity:	Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This CA4 antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunocytochemistry (ICC), Immunofluorescence (IF)

### Product Details

Purpose:	Polyclonal Antibody to Carbonic Anhydrase IV (CA4)
Immunogen:	RPD071Ra01Recombinant Carbonic Anhydrase IV (CA4)
Isotype:	IgG
Specificity:	The antibody is a rabbit polyclonal antibody raised against CA4. It has been selected for its ability to recognize CA4 in immunohistochemical staining and western blotting.
Cross-Reactivity:	Human, Mouse, Pig
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography

### Target Details

Target:	CA4
---------	-----

## Target Details

Alternative Name:	Carbonic Anhydrase IV ( <a href="#">CA4 Products</a> )
Background:	CA-IV, CAIV, Car4, RP17, Retinitis Pigmentosa 17(Autosomal Dominant), Carbonate dehydratase IV
UniProt:	<a href="#">P48284</a>

## Application Details

Application Notes:	Western blotting: 0.01-2 µg/mL,Immunohistochemistry: 5-20 µg/mL,Immunocytochemistry: 5-30 µg/mL,Optimal working dilutions must be determined by end user.
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.
Restrictions:	For Research Use only

## Handling

Format:	Liquid
Concentration:	0.5 mg/mL
Buffer:	0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles.