

## Datasheet for ABIN7636128

## anti-CTSC antibody



()	ve	r\/i	Δ	۱۸/
$\circ$	V C	1 V		v v

Quantity:	100 μL	
Target:	CTSC	
Reactivity:	Human	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This CTSC antibody is un-conjugated	
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)	

## **Product Details**

Froduct Details		
Purpose:	Polyclonal Antibody to Cathepsin C (CTSC)	
Immunogen:	RPC965Hu01Recombinant Cathepsin C (CTSC)	
Isotype:	IgG	
Specificity:	The antibody is a rabbit polyclonal antibody raised against CTSC. It has been selected for its ability to recognize CTSC in immunohistochemical staining and western blotting.	
Cross-Reactivity:	Mouse, Rat	
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography	
Target Details		
Target:	CTSC	

## **Target Details**

Target Details		
Alternative Name:	CTSC (CTSC Products)	
Background:	CTS-C, DPPI, CPPI, DPP-I, DPP-I, HMS, JP, JPD, PALS, PLS, Dipeptidyl Peptidase I, Dipeptidyl	
	transferase, Cathepsin J	
UniProt:	P53634	
Application Details		
Application Notes:	Western blotting: 0.01-3 μg/mL,Immunohistochemistry: 5-30 μg/mL,Immunocytochemistry: 5-	
	30 μg/mL,Optimal working dilutions must be determined by end user.	
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated	
	thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious	
	degradation and precipitation were observed. The loss rate is less than 5% within the expiration	
	date under appropriate storage condition.	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Concentration:	0.32 mg/mL	
Buffer:	0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol.	
Preservative:	ProClin	
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be	
	handled by trained staff only.	
Storage:	4 °C,-20 °C	
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without	
	detectable loss of activity. Avoid repeated freeze-thaw cycles.	