

## Datasheet for ABIN7636469

## anti-CD97 antibody



()	ve	r\/i	۱۸/
$\cup$	V C	1 / 1	 v v

Quantity:	100 μL	
Target:	CD97	
Reactivity:	Human	
Host:	Mouse	
Clonality:	Monoclonal	
Conjugate:	This CD97 antibody is un-conjugated	
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)	

## **Product Details**

Target:

Purpose:	Monoclonal Antibody to Cluster Of Differentiation 97 (CD97)	
Immunogen:	RPB410Hu01Recombinant Cluster Of Differentiation 97 (CD97)	
Clone:	C9	
Specificity:	The antibody is a mouse monoclonal antibody raised against CD97. It has been selected for its ability to recognize CD97 in immunohistochemical staining and western blotting.	
Cross-Reactivity:	Pig	
Purification:	Protein A + Protein G affinity chromatography	
Target Details		

CD97

## **Target Details**

rarget betails		
Alternative Name:	CD97 (CD97 Products)	
Background:	TM7LN1, TM7-LN1, Seven-Span Transmembrane Protein, Seven-	
	Transmembrane, Heterodimeric Receptor Associated With Inflammation, Seven	
	Transmembrane Helix Receptor	
UniProt:	P48960	
Application Details		
Application Notes:	Western blotting: 0.01-2 μg/mL,Immunohistochemistry: 5-20 μg/mL,Immunocytochemistry: 5-	
	20 μg/mL,Optimal working dilutions must be determined by end user.	
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated	
	thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious	
	degradation and precipitation were observed. The loss rate is less than 5% within the expiration	
	date under appropriate storage condition.	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Concentration:	1 mg/mL	
Buffer:	0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol.	
Preservative:	ProClin	
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be	
	handled by trained staff only.	
Storage:	4 °C,-20 °C	
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without	
	detectable loss of activity. Avoid repeated freeze-thaw cycles.	