

Datasheet for ABIN7636619

anti-CCL23 antibody



Overview

Quantity:	100 μL
Target:	CCL23
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This CCL23 antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)

Product Details

Alternative Name:

. roddot botano	
Purpose:	Polyclonal Antibody to Myeloid Progenitor Inhibitory Factor 1 (MPIF1)
Immunogen:	RPB574Hu01Recombinant Myeloid Progenitor Inhibitory Factor 1 (MPIF1)
Isotype:	IgG
Specificity:	The antibody is a rabbit polyclonal antibody raised against MPIF1. It has been selected for its ability to recognize MPIF1 in immunohistochemical staining and western blotting.
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography
Target Details	
Target:	CCL23

MPIF1 (CCL23 Products)

Target Details Background: CCL23, SCYA23, Ckb-8, MIP-3, CKb8, Chemokine(C-C-Motif)ligand 23, Small Inducible Cytokine Subfamily A(Cys-Cys)Member 23, Macrophage inflammatory protein 3 UniProt: P55773 Application Details Application Notes: Western blotting: 0.2-2 μg/mL,1:250-2500 Immunohistochemistry: 5-20 μg/mL,1:25-100 Immunocytochemistry: 5-20 μg/mL,1:25-100 Optimal working dilutions must be determined by end user.

Comment: The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.

Restrictions: For Research Use only

Handling

Format:	Liquid
Concentration:	0.5 mg/mL
Buffer:	PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol.
Preservative:	ProClin, Sodium azide
Precaution of Use:	This product contains ProClin and Sodium azide: POISONOUS AND HAZARDOUS SUBSTANCES which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles.