

### Datasheet for ABIN7636640

# anti-CCL3 antibody



#### Overview

Quantity:	100 μL
Target:	CCL3
Reactivity:	Rat
Host:	Mouse
Clonality:	Monoclonal
Conjugate:	This CCL3 antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)

### **Product Details**

Purpose:	Monoclonal Antibody to Macrophage Inflammatory Protein 1 Alpha (MIP1a)
Immunogen:	RPA092Ra01Recombinant Macrophage Inflammatory Protein 1 Alpha (MIP1a)
Clone:	C8
Specificity:	The antibody is a mouse monoclonal antibody raised against MIP1a. It has been selected for its ability to recognize MIP1a in immunohistochemical staining and western blotting.
Purification:	Protein A + Protein G affinity chromatography

## **Target Details**

Target:	CCL3
Alternative Name:	MIP1a (CCL3 Products)

## **Target Details**

rarget Details	
Background:	CCL3, MIP1-A, SCYA3, Chemokine C-C-Motif Ligand 3, Small Inducible Cytokine A3,
	Homologous To Mouse Mip-1a, Tonsillar Lymphocyte LD78 Alpha Protein
UniProt:	P50229
Pathways:	Cellular Response to Molecule of Bacterial Origin, Autophagy
Application Details	
Application Notes:	Western blotting: 0.5-2 μg/mL,Immunohistochemistry: 5-20 μg/mL,Immunocytochemistry: 5-
	$20\mu g/mL$ ,Optimal working dilutions must be determined by end user.
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated
	thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious
	degradation and precipitation were observed. The loss rate is less than 5% within the expiration
	date under appropriate storage condition.
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	1 mg/mL
Buffer:	0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be
	handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without
	detectable loss of activity. Avoid repeated freeze-thaw cycles.