

Datasheet for ABIN7636741 anti-CXCL2 antibody (APC)



| _ | | | | | |
|---|---|---|----|----|---|
| | W | 0 | rv | 10 | W |

| Quantity: | 100 μL | |
|--------------|--|--|
| Target: | CXCL2 | |
| Reactivity: | Mouse | |
| Host: | Guinea Pig | |
| Clonality: | Polyclonal | |
| Conjugate: | This CXCL2 antibody is conjugated to APC | |
| Application: | Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC) | |

Product Details

Alternative Name:

| Purpose: | Polyclonal Antibody to Chemokine (C-X-C Motif) Ligand 2 (CXCL2) | |
|----------------|---|--|
| Immunogen: | EPB603Mu51Eukaryotic Chemokine (CXC Motif) Ligand 2 (CXCL2) | |
| Isotype: | IgG | |
| Specificity: | The antibody is a cavia polyclonal antibody raised against CXCL2. It has been selected for its ability to recognize CXCL2 in immunohistochemical staining and western blotting. | |
| Purification: | Antigen-specific affinity chromatography followed by Protein A affinity chromatography | |
| Target Details | | |
| Target: | CXCL2 | |

CXCL2 (CXCL2 Products)

Target Details Background:

GROb, SCYB2, MIP2, GRO2, MIP2a, MGSAb, CINC2a, HSF, Macrophage inflammatory protein 2-

alpha, Hematopoietic synergistic factor, Growth Regulated Oncogene Beta

UniProt: P10889

Pathways: Cellular Response to Molecule of Bacterial Origin

Application Details

Application Notes:

Western blotting: 0.5-2 μg/mL,Immunohistochemistry: 5-20 μg/mL,Immunocytochemistry: 5-

20 µg/mL,Optimal working dilutions must be determined by end user.

Comment:

The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration

date under appropriate storage condition.

Restrictions:

For Research Use only

Handling

| Format: | Liquid | | |
|--------------------|---|--|--|
| Concentration: | 500 μg/mL | | |
| Buffer: | 0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol. | | |
| Preservative: | ProClin | | |
| Precaution of Use: | This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only. | | |
| Storage: | 4 °C,-20 °C | | |

Storage Comment:

Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles.