

Datasheet for ABIN7636804 **anti-CHI3L1 antibody**



[Go to Product page](#)

Overview

Quantity:	100 µL
Target:	CHI3L1
Reactivity:	Human
Host:	Mouse
Clonality:	Monoclonal
Conjugate:	This CHI3L1 antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)

Product Details

Purpose:	Monoclonal Antibody to Chitinase-3-like Protein 1 (CHI3L1)
Specificity:	The antibody is a mouse monoclonal antibody raised against CHI3L1. It has been selected for its ability to recognize CHI3L1 in immunohistochemical staining and western blotting.
Cross-Reactivity:	Pig
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography

Target Details

Target:	CHI3L1
Alternative Name:	CHI3L1 (CHI3L1 Products)
Background:	GP39, CHI3-L1, YKL40, Chondrex, Chitinase 3-Like 1, Chondrocyte Protein YKL40, 39 kDa synovial protein

Target Details

UniProt: [P36222](#)

Application Details

Application Notes: Western blotting: 0.2-2 µg/mL, 1:500-5000 Immunohistochemistry: 5-20 µg/mL, 1:50-200
Immunocytochemistry: 5-20 µg/mL, 1:50-200 Optimal working dilutions must be determined by end user.

Comment: The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.

Restrictions: For Research Use only

Handling

Format: Liquid

Concentration: 1 mg/mL

Buffer: PBS, pH 7.4, containing 0.01 % SKL, 1 mM DTT, 5 % Trehalose and Proclin300.

Preservative: Dithiothreitol (DTT), ProClin, Sodium azide

Precaution of Use: This product contains ProClin and Dithiothreitol (DTT) and Sodium azide: POISONOUS AND HAZARDOUS SUBSTANCES which should be handled by trained staff only.

Storage: 4 °C, -20 °C

Storage Comment: Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles.