

Datasheet for ABIN7636835

anti-Cholecystokinin antibody



Overview

Quantity:	100 μL
Target:	Cholecystokinin (CCK)
Reactivity:	Human
Host:	Mouse
Clonality:	Monoclonal
Conjugate:	This Cholecystokinin antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)

Product Details

Purpose:	Monoclonal Antibody to Cholecystokinin 8 (CCK8)
Immunogen:	CPB044Hu11BSA Conjugated Cholecystokinin 8 (CCK8)
Clone:	C4
Specificity:	The antibody is a mouse monoclonal antibody raised against CCK8. It has been selected for its ability to recognize CCK8 in immunohistochemical staining and western blotting.
Purification:	Protein A + Protein G affinity chromatography

Target Details

Target:	Cholecystokinin (CCK)
Alternative Name:	CCK8 (CCK Products)

Target Details

Storage Comment:

Target Details		
Background:	Sincalide, Cholecystokinin 8, Octapeptide	
Pathways:	TCR Signaling, Activation of Innate immune Response, Cellular Response to Molecule of	
	Bacterial Origin, Positive Regulation of Immune Effector Process, Positive Regulation of Endopeptidase Activity, Toll-Like Receptors Cascades, Feeding Behaviour	
Application Details		
Application Notes:	Immunohistochemistry: 5-20 μg/mL,Immunocytochemistry: 5-20 μg/mL,Optimal working	
	dilutions must be determined by end user.	
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated	
	thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious	
	degradation and precipitation were observed. The loss rate is less than 5% within the expiration	
	date under appropriate storage condition.	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Concentration:	1 mg/mL	
Buffer:	0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol.	
Preservative:	ProClin	
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.	
Storage:	4 °C,-20 °C	

detectable loss of activity. Avoid repeated freeze-thaw cycles.

Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without