

Datasheet for ABIN7637391

anti-C4A antibody



Oo to rioduct page

| () | ve | r\/i | Δ | ۱۸/ |
|---------|-----|------|---|-----|
| \circ | V C | 1 V | | v v |

| Quantity: | 100 μL |
|--------------|--|
| Target: | C4A (C4a) |
| Reactivity: | Mouse |
| Host: | Rabbit |
| Clonality: | Polyclonal |
| Conjugate: | This C4A antibody is un-conjugated |
| Application: | Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC) |

Product Details

| 1 Toddet Details | |
|------------------|--|
| Purpose: | Polyclonal Antibody to Complement Component 4a (C4a) |
| Immunogen: | RPA389Mu02Recombinant Complement Component 4a (C4a) |
| Isotype: | IgG |
| Specificity: | The antibody is a rabbit polyclonal antibody raised against C4a. It has been selected for its ability to recognize C4a in immunohistochemical staining and western blotting. |
| Purification: | Antigen-specific affinity chromatography followed by Protein A affinity chromatography |
| Target Details | |

| Target: | C4A (C4a) |
|-------------------|--|
| Alternative Name: | Complement Component 4a (C4a Products) |

Target Details

| Background: | C4a anaphylatoxin |
|-------------|-------------------|
| UniProt: | B9EIU2 |
| Pathways: | Complement System |

Application Details

| Application Notes: | Western blotting: 0.5-2 μg/mLlmmunohistochemistry: 5-20 μg/mLlmmunocytochemistry: ξ | |
|--------------------|--|--|
| | μg/mLOptimal working dilutions must be determined by end user. | |
| Comment: | The thermal stability is described by the loss rate. The loss rate was determined by accelerated | |
| | thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious | |
| | degradation and precipitation were observed. The loss rate is less than 5% within the expiration | |
| | date under appropriate storage condition. | |
| Restrictions: | For Research Use only | |

Handling

| Format: | Liquid |
|--------------------|---|
| Concentration: | 500 μg/mL |
| Buffer: | 0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol. |
| Preservative: | ProClin |
| Precaution of Use: | This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only. |
| Storage: | 4 °C,-20 °C |
| Storage Comment: | Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles. |