

Datasheet for ABIN7637676

anti-CYR61 antibody



Go to Product page

_					
	W	0	rv	10	W

Quantity:	100 μL	
Target:	CYR61	
Reactivity:	Human	
Host:	Mouse	
Clonality:	Monoclonal	
Conjugate:	This CYR61 antibody is un-conjugated	
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunocytochemistry (ICC), Immunoprecipitation (IP)	

Product Details

Purpose:	Monoclonal Antibody to Cysteine Rich Protein, Angiogenic Inducer 61 (CYR61)	
Immunogen:	RPG313Hu01Recombinant Cysteine Rich Protein, Angiogenic Inducer 61 (CYR61)	
Clone:	C10	
Specificity:	The antibody is a mouse monoclonal antibody raised against CYR61. It has been selected for its ability to recognize CYR61 in immunohistochemical staining and western blotting.	
Purification:	Protein A + Protein G affinity chromatography	

Target Details

Target:	CYR61
Alternative Name:	CYR61 (CYR61 Products)

Target Details

Target Details		
Background:	CCN1, GIG1, IGFBP10, CCN family member 1, Insulin-like growth factor-binding protein 10	
UniProt:	000622	
Pathways:	Positive Regulation of Endopeptidase Activity, Growth Factor Binding	
Application Details		
Application Notes:	Western blotting: 0.2-2 μg/mL,Immunohistochemistry: 5-20 μg/mL,Immunocytochemistry: 5-20 μg/mL,Optimal working dilutions must be determined by end user.	
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Concentration:	1 mg/mL	
Buffer:	PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol.	
Preservative:	Sodium azide	
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.	
Storage:	4 °C,-20 °C	
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without	

detectable loss of activity. Avoid repeated freeze-thaw cycles.