

Datasheet for ABIN7637748

anti-CYP4F2 antibody



_				
()	VE	r\/		Λ/
()	V C	I V	1	v v

Quantity:	100 μL	
Target:	CYP4F2	
Reactivity:	Human	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This CYP4F2 antibody is un-conjugated	
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)	

Product Details

Purpose:	Polyclonal Antibody to Cytochrome P450 4F2 (CYP4F2)	
Immunogen:	RPL399Hu01Recombinant Cytochrome P450 4F2 (CYP4F2)	
Isotype:	IgG	
Specificity:	The antibody is a rabbit polyclonal antibody raised against CYP4F2. It has been selected for its ability to recognize CYP4F2 in immunohistochemical staining and western blotting.	
Cross-Reactivity:	Pig	
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography	
Target Details		
Target:	CYP4F2	

Target Details

Storage:

Storage Comment:

Target Details			
Alternative Name:	CYP4F2 (CYP4F2 Products)		
Background:	CPF2, Leukotriene-B(4)omega-hydroxylase 1, Cytochrome P450 Family 4 Subfamily F		
	Polypeptide 2, 20-hydroxyeicosatetraenoic acid synthase, Arachidonic acid omega-hydroxylase		
UniProt:	P78329		
Pathways:	Monocarboxylic Acid Catabolic Process		
Application Details			
Application Notes:	Western blotting: 0.5-2 μg/mL,Immunohistochemistry: 5-20 μg/mL,Immunocytochemistry: 5-		
	20 μg/mL,Optimal working dilutions must be determined by end user.		
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated		
	thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious		
	degradation and precipitation were observed. The loss rate is less than 5% within the expiration		
	date under appropriate storage condition.		
Restrictions:	For Research Use only		
Handling			
Format:	Liquid		
Concentration:	500 μg/mL		
Buffer:	0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol.		
Preservative:	ProClin		
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be		
	handled by trained staff only.		

detectable loss of activity. Avoid repeated freeze-thaw cycles.

Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without

4 °C,-20 °C