

## Datasheet for ABIN7637819

# anti-DOCK9 antibody



#### Overview

Quantity:	100 μL
Target:	DOCK9
Reactivity:	Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This DOCK9 antibody is un-conjugated
Application:	Western Blotting (WB), Immunoprecipitation (IP), Immunohistochemistry (IHC), Immunocytochemistry (ICC)

## **Product Details**

Target:

Alternative Name:

Purpose:	Polyclonal Antibody to Dedicator Of Cytokinesis 9 (DOCK9)
Immunogen:	RPG179Ra01Recombinant Dedicator Of Cytokinesis 9 (DOCK9)
Isotype:	IgG
Specificity:	The antibody is a rabbit polyclonal antibody raised against DOCK9. It has been selected for its ability to recognize DOCK9 in immunohistochemical staining and western blotting.
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography
Target Details	

DOCK9

DOCK9 (DOCK9 Products)

# Target Details

Background:	ZIZ1, Zizimin1, Cdc42 guanine nucleotide exchange factor zizimin-1
UniProt:	F1LSM8
Application Details	
Application Notes:	Western blotting: $0.01-2~\mu g/m L$ ,Immunohistochemistry: $5-20~\mu g/m L$ ,Immunocytochemistry: $5-20~\mu g/m L$ ,Optimal working dilutions must be determined by end user.
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	0.5 mg/mL
Buffer:	0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles.