

Datasheet for ABIN7638029  
**anti-DVL2 antibody**



[Go to Product page](#)

## Overview

Quantity:	100 µL
Target:	DVL2
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This DVL2 antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunofluorescence (IF), Immunocytochemistry (ICC)

## Product Details

Purpose:	Polyclonal Antibody to Dishevelled, Dsh Homolog 2 (DVL2)
Immunogen:	RPL454Hu01 Recombinant Dishevelled, Dsh Homolog 2 (DVL2)
Isotype:	IgG
Specificity:	The antibody is a rabbit polyclonal antibody raised against DVL2. It has been selected for its ability to recognize DVL2 in immunohistochemical staining and western blotting.
Cross-Reactivity:	Mouse
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography

## Target Details

Target:	DVL2
---------	------

## Target Details

Alternative Name:	DVL2 ( <a href="#">DVL2 Products</a> )
Background:	Segment polarity protein dishevelled homolog DVL-2
UniProt:	<a href="#">O14641</a>
Pathways:	<a href="#">Tube Formation</a>

## Application Details

Application Notes:	Western blotting: 0.01-2 µg/mL,Immunohistochemistry: 5-20 µg/mL,Immunocytochemistry: 5-20 µg/mL,Optimal working dilutions must be determined by end user.
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.
Restrictions:	For Research Use only

## Handling

Format:	Liquid
Concentration:	0.5 mg/mL
Buffer:	PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles.