

Datasheet for ABIN7638142

anti-Dynamin 3 antibody



Overview

Quantity:	100 μL
Target:	Dynamin 3 (DNM3)
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This Dynamin 3 antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)

Product Details

Purpose:	Polyclonal Antibody to Dynamin 3 (DNM3)
Isotype:	IgG
Specificity:	The antibody is a rabbit polyclonal antibody raised against DNM3. It has been selected for its ability to recognize DNM3 in immunohistochemical staining and western blotting.
Cross-Reactivity:	Mouse, Rat
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography
Target Details	

Larget Details

Target:	Dynamin 3 (DNM3)
Alternative Name:	DNM3 (DNM3 Products)

Target Details

Target Details		
Background:	Dyna III, Dynamin, testicular, T-dynamin	
UniProt:	Q9UQ16	
Pathways:	Toll-Like Receptors Cascades	
Application Details		
Application Notes:	Western blotting: 0.2-2 μg/mL,1:250-2500 Immunohistochemistry: 5-20 μg/mL,1:25-100 Immunocytochemistry: 5-20 μg/mL,1:25-100 Optimal working dilutions must be determined by end user.	
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Concentration:	500 μg/mL	
Buffer:	PBS, pH 7.4, containing 0.01 % SKL, 1 mM DTT, 5 % Trehalose and Proclin300.	
Preservative:	Dithiothreitol (DTT), ProClin	
Precaution of Use:	This product contains ProClin and Dithiothreitol (DTT): POISONOUS AND HAZARDOUS SUBSTANCES which should be handled by trained staff only.	
Storage:	4 °C,-20 °C	
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without	

detectable loss of activity. Avoid repeated freeze-thaw cycles.