

Datasheet for ABIN7638150 **anti-Dysferlin antibody**

[Go to Product page](#)

Overview

Quantity:	100 µL
Target:	Dysferlin (DYSF)
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This Dysferlin antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunocytochemistry (ICC), Immunoprecipitation (IP)

Product Details

Purpose:	Polyclonal Antibody to Dysferlin (DYSF)
Immunogen:	RPC445Hu01 Recombinant Dysferlin (DYSF)
Isotype:	IgG
Specificity:	The antibody is a rabbit polyclonal antibody raised against DYSF. It has been selected for its ability to recognize DYSF in immunohistochemical staining and western blotting.
Cross-Reactivity:	Mouse, Pig, Rat
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography

Target Details

Target:	Dysferlin (DYSF)
---------	------------------

Target Details

Alternative Name:	DYSF (DYSF Products)
Background:	FER1L1, LGMD2B, Dysferlin,Limb Girdle Muscular Dystrophy 2B(Autosomal Recessive), Fer-1-like protein 1, Dystrophy-associated fer-1-like protein
UniProt:	075923

Application Details

Application Notes:	Western blotting: 0.01-2 µg/mL,Immunohistochemistry: 5-20 µg/mL,Immunofluorescence:5-20 µg/mL,Optimal working dilutions must be determined by end user.
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.
Restrictions:	For Research Use only

Handling

Format:	Liquid
Concentration:	0.48 mg/mL
Buffer:	PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol.
Preservative:	ProClin, Sodium azide
Precaution of Use:	This product contains ProClin and Sodium azide: POISONOUS AND HAZARDOUS SUBSTANCES which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles.