

### Datasheet for ABIN7638152

# anti-DKC1 antibody



### Overview

| Quantity:    | 100 μL   |
|--------------|--|
| Target:      | DKC1   |
| Reactivity:  | Mouse  |
| Host:        | Rabbit   |
| Clonality:   | Polyclonal   |
| Conjugate:   | This DKC1 antibody is un-conjugated  |
| Application: | Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC) |

#### Product Details

| Product Details   |  |
|-------------------|--|
| Purpose:          | Polyclonal Antibody to Dyskerin (DKC)  |
| Immunogen:        | RPC446Mu01Recombinant Dyskerin (DKC)   |
| Isotype:          | IgG  |
| Specificity:      | The antibody is a rabbit polyclonal antibody raised against DKC. It has been selected for its ability to recognize DKC in immunohistochemical staining and western blotting. |
| Cross-Reactivity: | Human  |
| Purification:     | Antigen-specific affinity chromatography followed by Protein A affinity chromatography   |
| Target Details    |  |
| Target:           | DKC1   |

## Target Details

| l arget Details     |   |
|---------------------|---|
| Alternative Name:   | Dyskerin (DKC1 Products)  |
| Background:         | DKC1, NAP57, NOLA4, NAP57, Dyskeratosis Congenita 1, H/ACA Ribonucleoprotein Complex Subunit 4, Nopp140-associated protein of 57 kDa, Nucleolar protein family A member 4 |
| UniProt:            | Q9ESX5  |
| Pathways:           | Telomere Maintenance  |
| Application Details |   |
| Application Notes:  | Western blotting: 0.5-2 μg/mL,Immunohistochemistry: 5-20 μg/mL,Immunocytochemistry: 5-  |
|                     | 20 μg/mL,Optimal working dilutions must be determined by end use  |

| Application Notes. | Western blotting. 0.0 2 pg/mz,immunoriistoonemistry. 0 20 pg/mz,immunocytoshemistry. 0           |
|--------------------|--|
|                    | 20 μg/mL,Optimal working dilutions must be determined by end user.                               |
| Comment:           | The thermal stability is described by the loss rate. The loss rate was determined by accelerated |
|                    | thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious          |
|                    | degradation and precipitation were observed. The loss rate is less than 5% within the expiration |
|                    | date under appropriate storage condition.  |
| Restrictions:      | For Research Use only  |

## Handling

| Format:            | Liquid  |
|--------------------|---|
| Concentration:     | 500 μg/mL   |
| Buffer:            | PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol.   |
| Preservative:      | Sodium azide  |
| Precaution of Use: | This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.  |
| Storage:           | 4 °C,-20 °C   |
| Storage Comment:   | Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles. |