

Datasheet for ABIN7638196

anti-ENPP1 antibody



\sim					
	1//	Р	rv	I P	۱۸/

Quantity:	100 μL	
Target:	ENPP1	
Reactivity:	Rat	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This ENPP1 antibody is un-conjugated	
Application:	Western Blotting (WB), Immunohistochemistry (IHC)	
Product Details		
Purpose:	Polyclonal Antibody to Ectonucleotide Pyrophosphatase/Phosphodiesterase 1 (ENPP1)	
Immunogen:	RPF219Ra01Recombinant Ectonucleotide Pyrophosphatase/Phosphodiesterase 1 (ENPP1)	
Isotype:	IgG	
Specificity:	The antibody is a rabbit polyclonal antibody raised against ENPP1. It has been selected for its ability to recognize ENPP1 in immunohistochemical staining and western blotting.	
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography	
Target Details		
Target:	ENPP1	
Alternative Name:	ENPP1 (ENPP1 Products)	
Background:	M6S1, NPP1, NPPS, PC-1, PCA1, PDNP1, Membrane component chromosome 6 surface	

Target Details

	marker 1, Alkaline phosphodiesterase I, Plasma-cell membrane glycoprotein PC-1	
UniProt:	Q924C3	
Pathways:	Regulation of Carbohydrate Metabolic Process	
Application Details		
Application Notes:	Western blotting: 0.5-2 μg/mL,Immunohistochemistry: 5-20 μg/mL,Immunocytochemistry: 5-20 μg/mL,Optimal working dilutions must be determined by end user.	
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Concentration:	0.5 mg/mL	
Buffer:	0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol.	
Preservative:	ProClin	
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.	
Storage:	4 °C,-20 °C	
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles.	