

Datasheet for ABIN7638217

anti-EGLN1 antibody



Go to Product page

_			
()	V/C	rv	٨/

Quantity:	100 μL
Target:	EGLN1
Reactivity:	Human
Host:	Mouse
Clonality:	Monoclonal
Conjugate:	This EGLN1 antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)

Product Details

Purpose:	Monoclonal Antibody to Egl Nine Homolog 1 (EGLN1)
Specificity: The antibody is a mouse monoclonal antibody raised against EGLN1. It has been selected its ability to recognize EGLN1 in immunohistochemical staining and western blotting.	
Purification: Antigen-specific affinity chromatography followed by Protein A affinity chromatography	

Target Details

Target:	EGLN1
Alternative Name:	EGLN1 (EGLN1 Products)
Background:	ECYT3, HIFPH2, PHD2, C1orf12, SM20, ZMYND6, HIF Prolyl Hydroxylase 2, Prolyl hydroxylase domain-containing protein 2, Hypoxia-inducible factor prolyl hydroxylase 2
UniProt:	Q9GZT9

Target Details

Pathways:	cAMP Metabolic Process, Warburg Effect	
Application Details		
Application Notes:	Western blotting: $0.2-2~\mu g/m L$,1:500-5000 Immunohistochemistry: $5-20~\mu g/m L$,1:50-200 Immunocytochemistry: $5-20~\mu g/m L$,1:50-200 Optimal working dilutions must be determined by end user.	
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Concentration:	1 mg/mL	
Buffer:	PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol.	
Preservative:	Sodium azide	
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.	
Storage:	4 °C,-20 °C	
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles.	