

### Datasheet for ABIN7638462

# anti-EPO antibody



#### Overview

Quantity:	100 μL
Target:	EPO
Reactivity:	Pig
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This EPO antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)

#### Product Details

Product Details	
Purpose:	Polyclonal Antibody to Erythropoietin (EPO)
Immunogen:	RPA028Po01Recombinant Erythropoietin (EPO)
Isotype:	IgG
Specificity:	The antibody is a rabbit polyclonal antibody raised against EPO. It has been selected for its ability to recognize EPO in immunohistochemical staining and western blotting.
Cross-Reactivity:	Human
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography
Target Details	
Target:	EPO EPO

## **Target Details**

Alternative Name:	Erythropoietin (EPO Products)
Target Type:	Hormone
Background:	EP, Epoetin, Erythropoetin, Hematopoietin, Hemopoietin
UniProt:	P49157
Pathways:	JAK-STAT Signaling, Hormone Activity, Negative Regulation of Intrinsic apoptotic Signaling, Negative Regulation of Transporter Activity

## **Application Details**

Application Notes:	Western blotting: 0.5-2 μg/mL,Immunonistochemistry: 5-20 μg/mL,Immunocytochemistry: 5-20 μg/mL,Optimal working dilutions must be determined by end user.
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated
	thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious
	degradation and precipitation were observed. The loss rate is less than 5% within the expiration
	date under appropriate storage condition.
<b>5</b>	

#### Restrictions: For Research Use only

# Handling

Format:	Liquid
Concentration:	0.61 mg/mL
Buffer:	0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles.