

Datasheet for ABIN7638521

anti-AGO1 antibody



Go to Product page

| _ | | | | | |
|---|---|---|----|----|---|
| | W | 0 | rv | 10 | W |

| Quantity: | 100 μL |
|--------------|--|
| Target: | AGO1 (EIF2C1) |
| Reactivity: | Human |
| Host: | Rabbit |
| Clonality: | Polyclonal |
| Conjugate: | This AGO1 antibody is un-conjugated |
| Application: | Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC) |

Product Details

Target:

Alternative Name:

| Purpose: | Polyclonal Antibody to Eukaryotic Translation Initiation Factor 2C1 (EIF2C1) |
|-------------------|--|
| Isotype: | IgG |
| Specificity: | The antibody is a rabbit polyclonal antibody raised against EIF2C1. It has been selected for its ability to recognize EIF2C1 in immunohistochemical staining and western blotting. |
| Cross-Reactivity: | Mouse, Rat |
| Purification: | Antigen-specific affinity chromatography followed by Protein A affinity chromatography |
| Target Details | |

AGO1 (EIF2C1)

EIF2C1 (EIF2C1 Products)

Target Details

| Background: | AGO1, EIF2C, GERP95, Q99, Protein Argonaute-1, Argonaute RISC catalytic component 1, Putative RNA-binding protein Q99 |
|-------------|---|
| UniProt: | Q9UL18 |
| Pathways: | Fc-epsilon Receptor Signaling Pathway, Regulatory RNA Pathways, EGFR Signaling Pathway, Neurotrophin Signaling Pathway, Hormone Transport, Regulation of Actin Filament Polymerization, Stem Cell Maintenance, Ribonucleoprotein Complex Subunit Organization |

Application Details

| Application Notes: | Western blotting: 0.2-2 μg/mL,1:250-2500 Immunohistochemistry: 5-20 μg/mL,1:25-100 |
|--------------------|---|
| | Immunocytochemistry: 5-20 μg/mL,1:25-100 Optimal working dilutions must be determined by end user. |
| Comment: | The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition. |
| Restrictions: | For Research Use only |

Handling

| Format: | Liquid |
|--------------------|---|
| Concentration: | 500 μg/mL |
| Buffer: | PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol. |
| Preservative: | Sodium azide |
| Precaution of Use: | This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only. |
| Storage: | 4 °C,-20 °C |
| Storage Comment: | Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles. |