

Datasheet for ABIN7638651

anti-FABP5 antibody



_			
()	V/C	rv	٨/

Quantity:	100 μL	
Target:	FABP5	
Reactivity:	Human	
Host:	Mouse	
Clonality:	Monoclonal	
Conjugate:	This FABP5 antibody is un-conjugated	
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunocytochemistry (ICC), Immunoprecipitation (IP)	

Product Details

Purpose:	Monoclonal Antibody to Fatty Acid Binding Protein 5 (FABP5)	
Immunogen:	RPB985Hu01Recombinant Fatty Acid Binding Protein 5 (FABP5)	
Clone:	C2	
Specificity:	The antibody is a mouse monoclonal antibody raised against FABP5. It has been selected for its ability to recognize FABP5 in immunohistochemical staining and western blotting.	
Purification:	Protein A + Protein G affinity chromatography	
Target Details		

Target:	FABP5
Alternative Name:	FABP5 (FABP5 Products)

Target Details

Background:	E-FABP, EFABP, PA-FABP, PAFABP, Fatty Acid Binding Protein 5, Epidermal, Psoriasis-	
	Associated, Epidermal-type fatty acid-binding protein, Psoriasis-associated fatty acid-binding	
	protein homolog	
UniProt:	Q01469	
Application Details		
Application Notes:	Western blotting: 0.5-2 μg/mLlmmunohistochemistry: 5-20 μg/mLlmmunocytochemistry: 5-20	
	μg/mLOptimal working dilutions must be determined by end user.	
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated	
	thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious	
	degradation and precipitation were observed. The loss rate is less than 5% within the expiration	
	date under appropriate storage condition.	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Concentration:	1 mg/mL	
Buffer:	PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol.	
Preservative:	ProClin, Sodium azide	
Precaution of Use:	This product contains ProClin and Sodium azide: POISONOUS AND HAZARDOUS SUBSTANCES	
	which should be handled by trained staff only.	
Storage:	4 °C,-20 °C	
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without	
	detectable loss of activity. Avoid repeated freeze-thaw cycles.	