

Datasheet for ABIN7638729

anti-Ferritin Mitochondrial antibody[Go to Product page](#)

Overview

Quantity:	100 µL
Target:	Ferritin Mitochondrial (FTMT)
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This Ferritin Mitochondrial antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)

Product Details

Purpose:	Polyclonal Antibody to Ferritin, Mitochondrial (FTMT)
Immunogen:	RPD251Hu01Recombinant Ferritin, Mitochondrial (FTMT)
Isotype:	IgG
Specificity:	The antibody is a rabbit polyclonal antibody raised against FTMT. It has been selected for its ability to recognize FTMT in immunohistochemical staining and western blotting.
Cross-Reactivity:	Mouse, Rat
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography

Target Details

Target:	Ferritin Mitochondrial (FTMT)
---------	-------------------------------

Target Details

Alternative Name:	FTMT (FTMT Products)
Background:	MtF
UniProt:	Q8N4E7
Pathways:	Transition Metal Ion Homeostasis

Application Details

Application Notes:	Western blotting: 0.01-2 µg/mL,Immunohistochemistry: 5-20 µg/mL,Immunocytochemistry: 5-20 µg/mL,Optimal working dilutions must be determined by end user.
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.
Restrictions:	For Research Use only

Handling

Format:	Liquid
Concentration:	0.45 mg/mL
Buffer:	PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles.