

Datasheet for ABIN7638861

anti-FGF2 antibody



Overview

Quantity:	100 μL
Target:	FGF2
Reactivity:	Pig
Host:	Mouse
Clonality:	Monoclonal
Conjugate:	This FGF2 antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)

Product Details

Target:

Alternative Name:

FGF2

FGF2 (FGF2 Products)

Troduct Details	
Purpose:	Monoclonal Antibody to Fibroblast Growth Factor 2, Basic (FGF2)
Immunogen:	RPA551Po01Recombinant Fibroblast Growth Factor 2, Basic (FGF2)
Clone:	C6
Specificity:	The antibody is a mouse monoclonal antibody raised against FGF2. It has been selected for its ability to recognize FGF2 in immunohistochemical staining and western blotting.
Purification:	Protein A + Protein G affinity chromatography
Target Details	

Target Details

Background:	B-FGF, BFGF, FGFB, HBGH-2, Basic Fibroblast Growth Factor, Heparin-binding growth factor 2
UniProt:	P09038
Pathways:	RTK Signaling, Fc-epsilon Receptor Signaling Pathway, EGFR Signaling Pathway, Neurotrophin Signaling Pathway, C21-Steroid Hormone Metabolic Process, Inositol Metabolic Process, Glycosaminoglycan Metabolic Process, Protein targeting to Nucleus, S100 Proteins

Application Details

Application Notes:	Western blotting: 0.01-2 μg/mL,lmmunohistochemistry: 5-20 μg/mL,lmmunocytochemistry: 5-20 μg/mL,Optimal working dilutions must be determined by end user.
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious
	degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.
Restrictions:	For Research Use only

Handling

Format:	Liquid
Concentration:	1 mg/mL
Buffer:	PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles.