

Datasheet for ABIN7638877

anti-FGF23 antibody



Overview

| Quantity: | 100 μL |
|--------------|--------------------------------------------------------------------------------------------------------|
| Target: | FGF23 |
| Reactivity: | Human |
| Host: | Mouse |
| Clonality: | Monoclonal |
| Conjugate: | This FGF23 antibody is un-conjugated |
| Application: | Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC) |

Product Details

Alternative Name:

Background:

| Purpose: | Monoclonal Antibody to Fibroblast Growth Factor 23 (FGF23) |
|----------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Clone: | 7# |
| Specificity: | The antibody is a mouse monoclonal antibody raised against FGF23. It has been selected for its ability to recognize FGF23 in immunohistochemical staining and western blotting. |
| Purification: | Antigen-specific affinity chromatography followed by Protein A affinity chromatography |
| Target Details | |
| Target: | FGF23 |
| | |

ADHR, HYPF, HPDR2, PHPTC, Phosphatonin, Tumor-derived hypophosphatemia-inducing factor

FGF23 (FGF23 Products)

Target Details

| Application Details Application Notes: Western blotting: 0.2-2 μg/mL,1:500-5000 Immunohistochemistry: 5-20 μg/mL,1:50-1mmunocytochemistry: 5-20 μg/mL,1:50-200 Optimal working dilutions must be deterned user. Comment: The thermal stability is described by the loss rate. The loss rate was determined by a thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the date under appropriate storage condition. Restrictions: For Research Use only Handling Format: Liquid Concentration: 1 mg/mL Buffer: PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol. Preservative: Sodium azide Precaution of Use: This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE should be handled by trained staff only. | | |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Application Details Application Notes: Western blotting: 0.2-2 μg/mL,1:500-5000 Immunohistochemistry: 5-20 μg/mL,1:50-1mmunocytochemistry: 5-20 μg/mL,1:50-200 Optimal working dilutions must be deterned user. Comment: The thermal stability is described by the loss rate. The loss rate was determined by a thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the date under appropriate storage condition. Restrictions: For Research Use only Handling Format: Liquid Concentration: 1 mg/mL Buffer: PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol. Preservative: Sodium azide Precaution of Use: This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE should be handled by trained staff only. Storage: 4 *C,-20 *C | UniProt: | Q9GZV9 |
| Application Notes: Western blotting: 0.2-2 µg/mL,1:500-5000 Immunohistochemistry: 5-20 µg/mL,1:50-Immunocytochemistry: 5-20 µg/mL,1:50-200 Optimal working dilutions must be deterned user. Comment: The thermal stability is described by the loss rate. The loss rate was determined by a thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the date under appropriate storage condition. Restrictions: For Research Use only Handling Format: Liquid Concentration: 1 mg/mL Buffer: PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol. Preservative: Sodium azide Precaution of Use: This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE should be handled by trained staff only. Storage: 4 *C,-20 *C | Pathways: | RTK Signaling, Fc-epsilon Receptor Signaling Pathway, EGFR Signaling Pathway, Neurotrophin Signaling Pathway, Negative Regulation of Hormone Secretion |
| Immunocytochemistry: 5-20 μg/mL,1:50-200 Optimal working dilutions must be determined user. Comment: The thermal stability is described by the loss rate. The loss rate was determined by a thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the date under appropriate storage condition. Restrictions: For Research Use only Handling Format: Liquid Concentration: 1 mg/mL Buffer: PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol. Preservative: Sodium azide Precaution of Use: This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE should be handled by trained staff only. Storage: 4 °C,-20 °C | Application Details | |
| thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the date under appropriate storage condition. Restrictions: For Research Use only Handling Format: Liquid Concentration: 1 mg/mL Buffer: PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol. Preservative: Sodium azide Precaution of Use: This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE should be handled by trained staff only. Storage: 4 °C,-20 °C | Application Notes: | Western blotting: 0.2-2 μ g/mL,1:500-5000 Immunohistochemistry: 5-20 μ g/mL,1:50-200 Immunocytochemistry: 5-20 μ g/mL,1:50-200 Optimal working dilutions must be determined by end user. |
| Format: Liquid Concentration: 1 mg/mL Buffer: PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol. Preservative: Sodium azide Precaution of Use: This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE should be handled by trained staff only. Storage: 4 °C,-20 °C | Comment: | The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition. |
| Format: Liquid Concentration: 1 mg/mL Buffer: PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol. Preservative: Sodium azide Precaution of Use: This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE should be handled by trained staff only. Storage: 4 °C,-20 °C | Restrictions: | For Research Use only |
| Concentration: 1 mg/mL Buffer: PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol. Preservative: Sodium azide Precaution of Use: This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE should be handled by trained staff only. Storage: 4 °C,-20 °C | Handling | |
| Buffer: PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol. Preservative: Sodium azide Precaution of Use: This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE should be handled by trained staff only. Storage: 4 °C,-20 °C | Format: | Liquid |
| Preservative: Sodium azide Precaution of Use: This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE should be handled by trained staff only. Storage: 4 °C,-20 °C | Concentration: | 1 mg/mL |
| Precaution of Use: This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE should be handled by trained staff only. Storage: 4 °C,-20 °C | Buffer: | PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol. |
| should be handled by trained staff only. Storage: 4 °C,-20 °C | Preservative: | Sodium azide |
| | Precaution of Use: | This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only. |
| | Storage: | 4 °C,-20 °C |
| Storage Comment: Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year detectable loss of activity. Avoid repeated freeze-thaw cycles. | Storage Comment: | Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles. |