

## Datasheet for ABIN7639035 **anti-Flotillin 2 antibody**

[Go to Product page](#)

### Overview

Quantity:	100 µL
Target:	Flotillin 2 (FLOT2)
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This Flotillin 2 antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)

### Product Details

Purpose:	Polyclonal Antibody to Flotillin 2 (FLOT2)
Isotype:	IgG
Specificity:	The antibody is a rabbit polyclonal antibody raised against FLOT2. It has been selected for its ability to recognize FLOT2 in immunohistochemical staining and western blotting.
Cross-Reactivity:	Mouse, Rat
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography

### Target Details

Target:	Flotillin 2 (FLOT2)
Alternative Name:	FLOT2 ( <a href="#">FLOT2 Products</a> )

## Target Details

Background: ECS1, ESA, ESA1, M17S1, Epidermal Surface Antigen 1, Membrane Component,Chromosome 17,Surface Marker 1, 35kD Protein Identified By Monoclonal Antibody ECS-1

UniProt: [Q14254](#)

## Application Details

Application Notes: Western blotting: 0.2-2 µg/mL,1:250-2500 Immunohistochemistry: 5-20 µg/mL,1:25-100 Immunocytochemistry: 5-20 µg/mL,1:25-100 Optimal working dilutions must be determined by end user.

Comment: The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.

Restrictions: For Research Use only

## Handling

Format: Liquid

Concentration: 500 µg/mL

Buffer: PBS, pH 7.4, containing 0.01 % SKL, 1 mM DTT, 5 % Trehalose and Proclin300.

Preservative: Dithiothreitol (DTT), ProClin, Sodium azide

Precaution of Use: This product contains ProClin and Dithiothreitol (DTT) and Sodium azide: POISONOUS AND HAZARDOUS SUBSTANCES which should be handled by trained staff only.

Storage: 4 °C,-20 °C

Storage Comment: Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles.