

Datasheet for ABIN7639895

anti-GBP2 antibody



Overview

Quantity:	100 μL
Target:	GBP2
Reactivity:	Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This GBP2 antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)

Product Details

Purpose:	Polyclonal Antibody to Guanylate Binding Protein 2, Interferon Inducible (GBP2)
Immunogen:	RPE636Ra01Recombinant Guanylate Binding Protein 2, Interferon Inducible (GBP2)
Isotype:	IgG
Specificity:	The antibody is a rabbit polyclonal antibody raised against GBP2. It has been selected for its ability to recognize GBP2 in immunohistochemical staining and western blotting.
Cross-Reactivity:	Mouse
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography
Target Details	
Target:	GBP2

Target Details

Alternative Name:	GBP2 (GBP2 Products)
Background:	GTP-binding protein 2, Guanine nucleotide-binding protein 2
UniProt:	Q63663
Pathways:	Cellular Response to Molecule of Bacterial Origin

Application Details

Application Notes:

• •	
	20 μg/mL,Optimal working dilutions must be determined by end user.
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated
	thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious
	degradation and precipitation were observed. The loss rate is less than 5% within the expiration
	date under appropriate storage condition.
Restrictions:	For Research Use only

Western blottin:g: $0.01-2 \mu g/mL$,Immunohistochemistry: $5-20 \mu g/mL$,Immunocytochemistry: $5-20 \mu g/mL$

Handling

Format:	Liquid
Concentration:	0.5 mg/mL
Buffer:	PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles.