

Datasheet for ABIN7640305
anti-HARS2 antibody



[Go to Product page](#)

Overview

Quantity:	100 µL
Target:	HARS2
Reactivity:	Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This HARS2 antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunocytochemistry (ICC), Immunoprecipitation (IP)

Product Details

Purpose:	Polyclonal Antibody to Histidyl tRNA Synthetase 2, Mitochondrial (HARS2)
Immunogen:	RPG130Mu01 Recombinant Histidyl tRNA Synthetase 2, Mitochondrial (HARS2)
Isotype:	IgG
Specificity:	The antibody is a rabbit polyclonal antibody raised against HARS2. It has been selected for its ability to recognize HARS2 in immunohistochemical staining and western blotting.
Cross-Reactivity:	Human
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography

Target Details

Target:	HARS2
---------	-------

Target Details

Alternative Name:	HARS2 (HARS2 Products)
Background:	HARSL, HARSR, HO3, HisRS, Histidyl tRNA Synthetase-Like, Histidyl-tRNA synthetase
UniProt:	Q99KK9

Application Details

Application Notes:	Western blotting: 0.2-2 µg/mL, Immunohistochemistry: 5-20 µg/mL, Immunocytochemistry: 5-20 µg/mL, Optimal working dilutions must be determined by end user.
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.
Restrictions:	For Research Use only

Handling

Format:	Liquid
Concentration:	0.5 mg/mL
Buffer:	0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol.
Preservative:	ProClin, Sodium azide
Precaution of Use:	This product contains ProClin and Sodium azide: POISONOUS AND HAZARDOUS SUBSTANCES which should be handled by trained staff only.
Storage:	4 °C, -20 °C
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles.