

## Datasheet for ABIN7641107

# anti-IL12A antibody



#### Overview

Quantity:	100 μL
Target:	IL12A
Reactivity:	Human
Host:	Mouse
Clonality:	Monoclonal
Conjugate:	This IL12A antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)

## **Product Details**

- Toddot Betaile	
Purpose:	Monoclonal Antibody to Interleukin 12A (IL12A)
Immunogen:	RPA059Hu01Recombinant Interleukin 12A (IL12A)
Clone:	C9
Specificity:	The antibody is a mouse monoclonal antibody raised against IL12A. It has been selected for its ability to recognize IL12A in immunohistochemical staining and western blotting.
Purification:	Protein A + Protein G affinity chromatography
Target Details	

Target:	IL12A
Alternative Name:	IL12A (IL12A Products)

### **Target Details**

Background:	P35, IL12-A, CLMF1, NFSK, NKSF1, Natural Killer Cell Stimulatory Factor 1, Cytotoxic
	Lymphocyte Maturation Factor 1, NF Cell Stimulatory Factor Chain 1
UniProt:	P29459
Pathways:	JAK-STAT Signaling, Regulation of Leukocyte Mediated Immunity, Positive Regulation of
	Immune Effector Process, Activated T Cell Proliferation
Application Details	
Application Notes:	Western blotting: 0.5-2 μg/mL,lmmunohistochemistry: 5-20 μg/mL,lmmunocytochemistry: 5-
	20 μg/mL,Optimal working dilutions must be determined by end user.
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated
	thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious
	degradation and precipitation were observed. The loss rate is less than 5% within the expiration
	date under appropriate storage condition.
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	1 mg/mL
Buffer:	0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be
	handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without
	detectable loss of activity. Avoid repeated freeze-thaw cycles.