

## Datasheet for ABIN7641235 **anti-IL18BP antibody**



[Go to Product page](#)

### Overview

Quantity:	100 µL
Target:	IL18BP
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This IL18BP antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)

### Product Details

Purpose:	Polyclonal Antibody to Interleukin 18 Binding Protein (IL18BP)
Immunogen:	RPH821Hu01Recombinant Interleukin 18 Binding Protein (IL18BP)
Isotype:	IgG
Specificity:	The antibody is a rabbit polyclonal antibody raised against IL18BP. It has been selected for its ability to recognize IL18BP in immunohistochemical staining and western blotting.
Cross-Reactivity:	Pig
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography

### Target Details

Target:	IL18BP
---------	--------

## Target Details

Alternative Name:	IL18BP ( <a href="#">IL18BP Products</a> )
Background:	IL18BPα, MC51L-53L-54L Homolog Gene Product, Tadekinig-alfa
UniProt:	<a href="#">O95998</a>

## Application Details

Application Notes:	Western blotting: 0.01-2 µg/mL, Immunohistochemistry: 5-20 µg/mL, Immunocytochemistry: 5-20 µg/mL, Optimal working dilutions must be determined by end user.
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.
Restrictions:	For Research Use only

## Handling

Format:	Liquid
Concentration:	0.5 mg/mL
Buffer:	PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C, -20 °C
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles.